

Götessons Industri AB
Box 56
523 22 ULRICEHAMN
SWEDEN

Testing of stability according to EN 1022:2023

(3 appendices)

Customer:	Götessons Industri AB
Test object/ID:	Modular seating/647608 Sandy Annex Edge with an added weight of 10 kg Note. The added weight corresponds to the unit being connected to an additional unit with a weight of at least 10 kg.
Test method:	EN 1022:2023 Furniture - Seating - Determination of stability
Scope:	Complete test
Date of test:	2025-03-18 – 2025-04-10
Test result:	The tested object with the added weight passed the test
Reservation:	The test results in this report apply solely to the specimen tested
Test environment:	23 ± 2°C and 50 ± 5% relative humidity
Measurement uncertainty:	Decision rule according to EN ISO IEC 17025:2018 clause 3.7 No account is taken of measurement uncertainty when reporting numerical results

RISE Research Institutes of Sweden AB Department Building and Real Estate - Technical Wood Assessment

Performed by

Lukas Andersson

Lukas Andersson

Examined by

Bengt-Åke Andersson

Bengt-Åke Andersson

Appendices

1. Test result (1 page)
2. Test object (1 page)
3. Pictures (1 page)

RISE Research Institutes of Sweden AB

Postal address
Box 857
501 15 BORÅS
SWEDENOffice location
Brinellgatan 4
504 62 Borås
SWEDENPhone / Fax / E-mail
+46 10-516 50 00
+46 33-13 55 02
info@ri.se

This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Accred. No. 1002
Testing
ISO/IEC 17025

Appendix 1

Test result

Abbreviations: N/A = Not applicable
N/T = Not tested

Table 1

1.	Stability	EN 1022:2018	Result
1.1	Forwards overbalancing Requirement ≥ 20 N	7.3.1	Pass 23 N
1.2	Forwards overturning for seating with footrest Requirement ≥ 20 N	7.3.2	N/A
1.3	Corner stability test Requirement = 300 N	7.3.3	Pass
1.4	Sideways overbalancing, all seating without arms Requirement ≥ 20 N	7.3.4	Pass 59 N
1.5	Sideways overbalancing, all seating with arms Requirement ≥ 20 N	7.3.5.2	N/A
1.6	Sideways overbalancing, seating with raised side edges	7.3.5.3	N/A
1.7	Rearwards overbalancing, all seating with backs	7.3.6	N/A

Appendix 2

Test object

Test object/ID: Modular seating/647608 Sandy Annex Edge

Dimensions¹

Width: 500 mm

Depth: 480 mm

Seat height: 460 mm

Weight: 11.7 kg

Components

Frame: Laminated particleboard

Upholstery: Moulded foam and fabric

Sampling: The test object was selected by the customer

Date of arrival at
RISE test laboratory: 2025-03-06

Observed defects before testing: No defects

¹ The dimensions are only intended to unambiguously identify the test object and do not claim to be metrologically accurate

Appendix 3

Pictures



Figure 1



Figure 2



Figure 3



Figure 4

Verification

Transaction 09222115557544311501

Document

1310644E Götessons Sandy Annex Edge_Added weight
report

Main document

4 pages

Initiated on 2025-04-15 12:26:53 CEST (+0200) by Bengt-Åke Andersson (BA)

Finalised on 2025-04-15 12:28:24 CEST (+0200)

Signatories

Bengt-Åke Andersson (BA)

RISE Research Institutes of Sweden AB

Company reg. no. 556464-6874

bengt-ake.andersson@ri.se



Signed 2025-04-15 12:27:08 CEST (+0200)

Lukas Andersson (LA)

Research Institutes of Sweden AB

Company reg. no. 556464-6874

lukas.andersson@ri.se



Signed 2025-04-15 12:28:24 CEST (+0200)

This verification was issued by Scrive. Information in italics has been safely verified by Scrive. For more information/evidence about this document see the concealed attachments. Use a PDF-reader such as Adobe Reader that can show concealed attachments to view the attachments. Please observe that if the document is printed, the integrity of such printed copy cannot be verified as per the below and that a basic print-out lacks the contents of the concealed attachments. The digital signature (electronic seal) ensures that the integrity of this document, including the concealed attachments, can be proven mathematically and independently of Scrive. For your convenience Scrive also provides a service that enables you to automatically verify the document's integrity at: <https://scrive.com/verify>

