


ScreenIT A30 Connect

H Booth

DRAWINGS





GÖTESSONS INDUSTRI AB




Rönnåsgatan 5B,
523 38 Ulricehamn
Box 56, 523 22 Ulricehamn
Tel +46 (0)321-687700
info@gotessons.se

G Ö T E S S O N S

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-13	Fredrik
B	Changed dimension to 1630 mm (was 1640 mm)	2026-05-27	Fredrik



Connecting magnets





© 2026





GÖTESSONS

Art.nr. 783140-		Name ScreenIT A30 Connect Booth STR H 1400x1400x1630 mm		
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev B	Format A4	Scale 1:25 Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-13	Fredrik
B	Changed dimension to 1630 mm (was 1640 mm)	2026-05-27	Fredrik



Connecting magnets





© 2026





GÖTESSONS

Art.nr. 783160-		Name ScreenIT A30 Connect Booth STR H 1600x1400x1630 mm		
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev B	Format A4	Scale 1:25 Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-13	Fredrik
B	Changed dimension to 1630 mm (was 1640 mm)	2026-05-27	Fredrik



Connecting magnets





© 2026




GÖTESSONS

Art.nr. 783180-		Name ScreenIT A30 Connect Booth STR H 1800x1400x1630 mm		
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev B	Format A4	Scale 1:25 Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-13	Fredrik
B	Changed dimension to 1830 mm (was 1840 mm)	2026-05-27	Fredrik



Connecting magnets




© 2026




GÖTESSONS

Art.nr. 784140-		Name ScreenIT A30 Connect Booth STR H 1400x1400x(900+900) mm		
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev B	Format A4	Scale 1:25 Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-13	Fredrik
B	Changed dimension to 1830 mm (was 1840 mm)	2026-05-27	Fredrik



Connecting magnets




© 2026

GÖTESSONS


Art.nr. 784160-		Name ScreenIT A30 Connect Booth STR H 1600x1400x(900+900) mm		
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev B	Format A4	Scale 1:25 Page 1/1

B


1830



1820




Connecting magnets




783184-


783186-



Including adjustable feet
2/screen



Section view of ScreenIT A30
straight corners



© 2026

GÖTESSONS

Art.nr.
784180-

Name
ScreenIT A30 Connect Booth STR H
1800x1400x(900+900) mm

View placement

General tolerance
SS-ISO 2768-1
m

THESE MEASUREMENTS
REFER TO THE FRAMEWORK
AND DO NOT INCLUDE
UPHOLSTERY, SEAM OR ZIP

Material

THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF
GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND
SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED
WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB




Rev
B

Format
A4




Scale
1:25

Page
1/1

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik



Section view of ScreenIT A30 straight corners



Art.nr.

783000-

Name

ScreenIT A30 Connect T Extend STR

1420x1630x1400 mm

View placement

General tolerance

SS-ISO 2768-1

m

THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP

Material

THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB

Rev

A

Format

A4

Scale

1:25





Page

2/2

© 2026

GÖTESSONS

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik








© 2026

© 2021
GÖTESSONS



Art.nr. 783010-		Name ScreenIT A30 Connect T Extend STR 1620x1630x1400 mm			
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP		Material	
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTTSCHEWS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTTSCHEWS DESIGN GROUP AB					
Rev	A	Format	A4	Scale	1:25
				Page	2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik






GÖTESSONS			
Art.nr. 783020-		Name ScreenIT A30 Connect T Extend STR 1820x1630x1400 mm	
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB			
Rev A	Format A4	Scale 1:25	Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik




Section view of ScreenIT A30 straight corners




GÖTESSONS								© 2026
Art.nr. 783030-			Name ScreenIT A30 Connect T Extend STR 1420x1830x1400 mm					
View placement 	General tolerance SS-ISO 2768-1 m		THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP		Material			
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB				Rev A	Format A4	Scale 1:25	Page 2/2	




REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik



Including adjustable feet
2/screen



Section view of ScreenIT A30
straight corners





GÖTESSONS




© 2026

Art.nr. 783040-		Name ScreenIT A30 Connect T Extend STR 1620x1830x1400 mm	
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev A	Format A4
		Scale 1:25	Page 2/2

REVISIONS			
REV.	DESCRIPTION	DATE	BY
A	Created drawing	2026-05-27	Fredrik



Section view of ScreenIT A30 straight corners



GÖTESSONS

© 2026

Art.nr. 783050-		Name ScreenIT A30 Connect T Extend STR 1820x1830x1400 mm	
View placement 	General tolerance SS-ISO 2768-1 m	THESE MEASUREMENTS REFER TO THE FRAMEWORK AND DO NOT INCLUDE UPHOLSTERY, SEAM OR ZIP	Material
THIS DRAWING AND INFORMATION CONTAINED HEREIN ARE THE PROPERTY OF GÖTESSONS DESIGN GROUP AB AND SHALL BE RETURNED UPON DEMAND AND SHALL NOT BE REPRODUCED IN WHOLE OR IN PART TO ANYONE ELSE OR USED WITHOUT WRITTEN CONSENT GÖTESSONS DESIGN GROUP AB		Rev A	Format A4
		Scale 1:25	Page 2/2